	IN THE	(, -	OU~OU TES PATENT	ATTORNEY AND TRADEMARK		NO: <u>MIC-3</u>	35 IP50-0116)
In re Application of:							3617
In re Application of: George Phillips O'Brien, et al. Serial No: 10/681,895)) Group Art Unit: 3617) Examiner: Frantz F. Jules			DW
Filed: October 9, 200)C50 2004)	Our Client ID:	34 0 4	3	
Confirmation No:	RELEGIO	E. S.)	Our Account No:	04-14		
Title: Acoustic Signa	I Monitoring Sys		; ;)				
Commissioner for Pate	nts						
U.S. Patent and Traden Post Office Box 1450		•	•				
Alexandria, VA 22313	-1450		RESPON	ISE			
This is a <u>response</u> /amer	ndment/letter in t	he above-identi	fied applicati	ion and includes the her	ewith attach	ment of same	date and
subject which is incorporabsence of a signature t		y reference and	the signature	e below is to be treated	as the signat	ture to the atta	chment in
Fee requiremen	its (if any) have b		as shown bel	ow:			
	Claims	Highest					
	remaining after	number previously	Present		- Addit	rional	
	amendment	paid for	Extra		Fee	IUIIAI	
Total Effective Claims	min	-	•	X \$18 =	\$	00	
7.1 1 (0):							
Independent Claims	mini			x \$88 =	\$.00	
\$290.00 (per application		endent ciaim(s) into this ap	plication for first time, a	saa \$.00	
Since Official Action se	•	date of		្នាក់។ ១	Ψ	00	1121
PETITION is hereby n	_				h the		
requisite fee is enclosed	(1 month \$110;	2 months \$430	; 3 months \$9	980; 4 months \$1530)	\$.00	_
If Tamainal Disalaina	1	1 20(1) 055 :	15 (0110	00)	•	22	
If Terminal Disclaimer	enclosed, add Ku	ile 20(d) Officia	al Fee (\$110.	00)	\$	00	
			SU	BTOTAL:	\$.00	
If "small entity" verified	d statement filed	[] proviously		•			
[] herewith, enter one-				-	\$	00	
			TO	TAL:	\$.00	
Other:					\$.00	
			m o		D 6	00	
The Commissioner is he	ereby authorized	to charge any f		TAL FEE ENCLOSE v authorized bereafter		.00	
the fee(s) filed, or assert	-		_	•	•		
hereafter, and which ma	•						
and the resulting official			-				ıg.
hereof for which purpos	e a <u>duplicate</u> cop	y of this sheet	is attached.	This statement does not	authorize ch	narge of the	
issue fee in this case. ADDRESS:		DORITY & I	MANNING:				
Post Office Box 1449		ATTORNEY		•			
Greenville, SC 29602 I	USA		,			,	
Customer ID No.: 2282		By: Tim F. W	/illiams	Reg. No: 47,178	B Date	: November 8	<u>3, 2004</u>
Telephone: 864-271-15		a: 1	- /11/	(A.)			
Facsimile: 864-233-734		Signature: 1	- V	ant and for any hains do	nosited usith	the United Co	
I hereby certify that this Postal Service "Express	-		4				
envelope addressed to:		ssioner for Pate			and more	J m u.	
•		ent and Traden		•			
		fice Box 1450					
	Alexand	lria, VA 22313-	-1450				
on	•	•	•				
(Typed or printed name	of person mailin	g paper or fee)					
Signature of person mai	lling paper or fee	()	<u> </u>				
-							

11-09-04





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: O'Brien, et al.)	Examiner: Frantz F. Jules
Application No.: 10/681,895)	Art Unit: 3617
Filed: October 9, 2003)	Our Account No. 04-1403
For: Acoustic Signal Monitoring System For A Tire)	Our Customer No. 34043

RESPONSE

Mail Stop Response to Office Action Commissioner for Patents Post Office Box 1450 Alexandria, VA 22313-1450 20231

Sir:

In response to the Office Action of October 28, 2004, in the above-captioned application, Applicants respectfully request the Examiner's consideration of the following:

Claims 1-21 are currently rejected under 35 U.S.C. § 103(a) as being unpatentable over Magiawala et al. in view Kyrtsos. For the reasons that follow, Applicants respectfully traverse this rejection.

First, Applicants respectfully submit that the proposed combination of <u>Magiawala et al.</u> and <u>Kyrtsos</u> is improper because such would change the purpose and principle of operation of both <u>Magiawala et al.</u> and <u>Kyrtsos</u>. More specifically, <u>Magiawala et al.</u> requires that the sensors are mounted either inside the tire or on the wheel rim. <u>See</u> Col. 3, lines 46-49. Such a location is required because <u>Magiawala et al.</u> is using sensors that measure lateral and/or radial acceleration of the tire itself. Mounting the sensors of <u>Magiawala et al.</u> on the vehicle itself would destroy the principle of operation of <u>Magiawala et al.</u> and prevent it from functioning properly. In contrast,

claims 1 through 11 of the present invention require a sound monitoring device for mounting on the vehicle – not the tire. Claims 12 through 21 require that the sound monitoring device is carried by the vehicle. Placing the sound monitoring device of the present invention within the tire would prevent the device from working properly in certain situations. For example, if a tire were to suffer a tread separation, the sound monitoring device itself could be damaged or destroyed – thereby preventing it from operating at all.

<u>Kyrtsos</u> provides for a method for monitoring the sounds of a <u>driveline</u> in order to determine whether the <u>driveline</u> may be experiencing a problem (see the abstract of <u>Kyrtsos</u>). Kyrtsos defines the driveline on Col. 2, ll. 39-41 as follows:

In the present invention, a driveline includes parts that connect the transmission with the driving axles of a vehicle.

Kyrtsos is therefore explicitly directed towards the driveline of a vehicle only, and discloses nothing regarding the monitoring of a tire of the vehicle or possible damage condition of the tire. The tires of a vehicle are not included in the driveline - tires form no part of the vehicle that connects the transmission of the vehicle with the driving axles of the vehicle. Instead, tires are separate, additional elements located on either end of the axles of the vehicle. Modification of Kyrtsos to instead determine whether the tires of the vehicle were experiencing a tire damage condition would completely change the intended purpose of Kyrtsos since the method would now be focused upon the tires of the vehicle as opposed to the driveline. Furthermore, the principle of operation of Kyrtsos would be changed as the sound detector of Kyrtsos would have to be configured to monitor the tires as opposed to the driveline. In contrast, claims 1-21 of the present invention require a sound monitoring device that produces an output based on the sound created by at least one tire during rotation – not a driveline.

Thus, Applicants respectfully submit that the rejection of claims 1-21 as obvious in view of a combination of Magiawala et al. and Kyrtsos is improper because such would require changing the purpose and principle of operation of both of these references.

Second, Applicants respectfully submit that the proposed combination of Magiawala et al. and Kyrtsos is improper because these references, whether standing alone or in combination, do not contain all of the limitations of any of the rejected claims. Magiawala et al. is directed to tread wear, shock absorber performance, balance condition, and rotation speed (Col. 1, lines 33-44) — but nowhere discloses an output signal based on potential damage condition of the tire.

Krytsos is directed to monitoring the driveline of a vehicle, which does not even include a tire as previously discussed — much less a physical damage condition to a tire. In contrast, claims 1-11 of the present invention require a signal processing device the produces a processing device output signal representative of a potential damage condition of the tire. Claims 12-21 of the present invention require a signal process device that can produce an output signal upon detecting a predetermined degree of tread belt separation. Again, neither Magiawala et al. nor Kyrtsos contain any such element or teaching.

Thus, Applicants respectfully submit that the rejection of claims 1-21 as obvious in view of a combination of Magiawala et al. and Kyrtsos is improper because neither of these references, whether in combination or viewed separately, contains all of the limitations of the claims of the present application.

Finally, Applicants respectfully submit that even if a combination of <u>Magiawala et al.</u> and <u>Kyrtsos</u> could overcome the deficiencies noted above, there is no motivation to combine these

references together. The Examiner indicates that the combination would be made "in order to reduce error resulting from using physical observation of the tire". However, the Examiner provides no reference to any teaching that any such errors exist. More specifically, the Examiner provides no reference to any teaching suggesting that errors are more likely to occur in physically examining a tire as for a tire damage condition as opposed to using a sound monitoring device as in the present application. Next, the Examiner indicates that the combination would be made "in order to reduce error resulting from using. . . faulty sensors on the tire thereby reducing time and accuracy in the measurement." However, both Magiawala et al. and Krytsos make use of some type of sensor. Thus, to the extent sensors contain some kind of inherent fault as suggested by the Examiner, combining these references does not solve such problem. Nor is there any teaching that placing the sensors on the tire somehow renders the sensor faulty. To the contrary, as discussed above, Magiawala et al. actually indicates that the sensor should either be on the tire or the wheel rim. In summary, there simply is not suggestion to one of ordinary skill in the art to combine Magiawala et al. and Kyrtsos.

Thus, Applicants respectfully submit that the rejection of claims 1-21 as obvious in view of <u>Magiawala et al.</u> and <u>Krytsos</u> is improper because there is no suggestion in the prior art to make such combination.

Applicants respectfully submit that claims 1-21 are allowable and that the application is in condition for allowance. Favorable reconsideration and action thereon is respectfully requested. The Examiner is encouraged to contact the undersigned at the Examiner's convenience should the Examiner have any questions concerning this matter or require any additional information.

Respectfully submitted,

DORITY & MANNING, P.A.

7im F\Williams

Reg. No. 47,178 P.O. Box 1449

Greenville, SC 29602-1449

(864) 271-1592

FAX (864) 233-7342



EXPRESS MAIL CERTIFICATE OF MAILING

In re Applicati	ion of: George Phillips O'Brien				
Entitled:	Acoustic Signal Monitoring System For A Tire				
USSN:	10/681,895				
Filed:	October 9, 2003				
Attorney Docket No.: MIC-35 (P50-0116)					
"Express Mail" – Mailing Label Number: <u>EV599453127US</u>					
Date of Deposit: November 8, 2004					
I hereby certify that this paper and all attachments and any fee are being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the:					
Commissioner for Patents Mail Stop RESPONSE TO OFFICE ACTION					
U.S. Patent and Trademark Office Post Office Box 1450					
Alexandria, VA 22313-1450					
(Typed or prin	nted name of person mailing paper or fee) Lucy Lucy Lucy Lucy Lucy Lucy Lucy Lucy				